

International

	compilation: 13/03/2023 Version: 1
SECT	ION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier: Super Wasp Nest Killer Foam
	Other means of identification:
	Non-applicable
1.2	Relevant identified uses of the substance or mixture and uses advised against:
	Relevant uses: Biocide
	Uses advised against: All uses not specified in this section or in section 7.3
1.3	Details of the supplier of the safety data sheet:
	PelGar International Ltd, Newman Lane, GU34 2QR, Alton - Hampshire - United Kingdom Phone: 01420 870744 info@pelgar.co.uk www.pelgar.co.uk
1.4	Emergency telephone number: +44 (0) 1420 870744 (office hours 09:00 – 17:00)
SECT	ION 2: HAZARDS IDENTIFICATION
2.1	Classification of the substance or mixture:
	GB CLP Regulation: Classification of this product has been carried out in accordance with GB CLP Regulation.
	Aerosol 1: Pressurised container: May burst if heated., H229
	Aerosol 1: Flammable aerosols, Category 1, H222 Aquatic Acute 1: Hazardous to the aquatic environment, acute hazard, Category 1, H400 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard, Category 1, H410
2.2	Label elements:
	GB CLP Regulation:
	Danger
	Hazard statements:
	Aerosol 1: H229 - Pressurised container: May burst if heated.
	Aerosol 1: H222 - Extremely flammable aerosol. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
	Precautionary statements:
	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P210: Keep our form hor bet sufferen energies one floreer and other instition enurges. No emploine
	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211: Do not spray on an open flame or other ignition source. P251: Do not pierce or burn, even after use.
	P273: Avoid release to the environment.
	P280: Wear protective gloves. P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F. P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment
	Supplementary information:
	EUH208: Contains 2,2',2''-(hexahydro-1,3,5- triazine-1,3,5-triyl)triethanol, permethrin (ISO). May produce an allergic reaction.
2.3	Other hazards:
	Product fails to meet PBT/vPvB criteria

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable



Date of compilation: 13/03/2023 Version: 1

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

#### 3.2 Mixture:

Chemical description: Biocide/s

# Components:

In accordance with Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, the product contains:

	Identification	Chemical name/Classification	Concentration
CAS:	68476-85-7	Petroleum gases, liquefied, < 0.1 % EC 203-450-8	3 - <10 %
		Flam. Gas 1A: H220; Press. Gas: H280 - Danger	
CAS:	1189173-42-9	Hydrocarbons, C10, aromatics, < 1% naphthalene	1 - <3 %
		Aquatic Chronic 2: H411; Asp. Tox. 1: H304; STOT SE 3: H336; EUH066 - Danger	
CAS:	52645-53-1	permethrin (ISO)	<1 %
		Acute Tox. 4: H302+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Sens. 1: H317 - Warning	
CAS:	7696-12-0	tetramethrin (ISO)	<1 %
		Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Carc. 2: H351; STOT SE 2: H371 - Warning	
CAS:	4719-04-4	2,2',2''-(hexahydro-1,3,5- triazine-1,3,5-triyl)triethanol	<1 %
		Acute Tox. 2: H330; Acute Tox. 4: H302; Skin Sens. 1: H317; STOT RE 1: H372 - Danger	
CAS:	1310-73-2	sodium hydroxide	<1 %
		Eye Dam. 1: H318; Met. Corr. 1: H290; Skin Corr. 1A: H314 - Danger	
CAS:	128-37-0	2,6-di-tert-butyl-p-cresol	<1 %
		Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

# Other information:

Identification	Identification		
ermethrin (ISO)			1000
CAS: 52645-53-1			1000
tetramethrin (ISO)		Acute	100
CAS: 7696-12-0		Chronic	100
Identification 2,2',2''-(hexahydro-1,3,5- triazine-1,3,5-triyl)triethanol CAS: 4719-04-4	Spec % (w/w) >=0.1: Skin Sens. 1 - H3	cific concentratio 17	n limit
sodium hydroxide CAS: 1310-73-2	% (w/w) >=0.1: Met. Corr. 1 - H2 % (w/w) >=5: Skin Corr. 1A - H31 2<= % (w/w) <5: Skin Corr. 1B - H 0.5<= % (w/w) <2: Skin Irrit. 2 - H % (w/w) >=0.5: Eye Irrit. 2 - H31	14 1314 1315	

# SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

### By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

# By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

#### By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

# By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.



Date of compilation: 13/03/2023 Version: 1

# SECTION 4: FIRST AID MEASURES (continued)

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

# SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

#### Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO<sub>2</sub>).

#### Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

# 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...).

#### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

# For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

# 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

#### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

# 7.1 Precautions for safe handling:

#### A.- General precautions for safe use

- Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).
- B.- Technical recommendations for the prevention of fires and explosions



Date of compilation: 13/03/2023 Version: 1

# SECTION 7: HANDLING AND STORAGE (continued)

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

#### 7.2 Conditions for safe storage, including any incompatibilities:

- A.- Technical measures for storage
  - Minimum Temp.: 4 ºC
  - Maximum Temp.: 40 °C
- B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

EH40/2005 Workplace exposure limits, fourth edition, published 2020:

Identification	Occup	ational exposure limi	its
Petroleum gases, liquefied, < 0.1 % EC 203-450-8	WEL (8h)	1000 ppm	1750 mg/m <sup>3</sup>
CAS: 68476-85-7	WEL (15 min)	1250 ppm	2180 mg/m <sup>3</sup>
2,6-di-tert-butyl-p-cresol	WEL (8h)		10 mg/m <sup>3</sup>
CAS: 128-37-0	WEL (15 min)		
sodium hydroxide	WEL (8h)		
CAS: 1310-73-2	WEL (15 min)		2 mg/m³

# DNEL (Workers):

		Short	Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local	
Petroleum gases, liquefied, < 0.1 % EC 203-450-8	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 68476-85-7	Dermal	Non-applicable	Non-applicable	23.4 mg/kg	Non-applicable	
EC: 270-704-2	Inhalation	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
Hydrocarbons, C10, aromatics, < 1% naphthalene	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 1189173-42-9	Dermal	Non-applicable	Non-applicable	12.5 mg/kg	Non-applicable	
EC: 918-811-1	Inhalation	Non-applicable	Non-applicable	151 mg/m <sup>3</sup>	Non-applicable	
2,2´,2´´-(hexahydro-1,3,5- triazine-1,3,5-triyl)triethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 4719-04-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
EC: 225-208-0	Inhalation	Non-applicable	Non-applicable	Non-applicable	0.2 mg/m <sup>3</sup>	
sodium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 1310-73-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
EC: 215-185-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m³	
2,6-di-tert-butyl-p-cresol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 128-37-0	Dermal	Non-applicable	Non-applicable	0.5 mg/kg	Non-applicable	
EC: 204-881-4	Inhalation	Non-applicable	Non-applicable	3.5 mg/m <sup>3</sup>	Non-applicable	



Date of compilation: 13/03/2023 Version: 1

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Shor	t exposure	Long	g exposure
Identification		Systemic	Local	Systemic	Local
Hydrocarbons, C10, aromatics, < 1% naphthalene	Oral	Non-applicable	Non-applicable	7.5 mg/kg	Non-applicable
CAS: 1189173-42-9	Dermal	Non-applicable	Non-applicable	7.5 mg/kg	Non-applicable
EC: 918-811-1	Inhalation	Non-applicable	Non-applicable	32 mg/m <sup>3</sup>	Non-applicable
sodium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-73-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-185-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m³
2,6-di-tert-butyl-p-cresol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 128-37-0	Dermal	Non-applicable	Non-applicable	0.25 mg/kg	Non-applicable
EC: 204-881-4	Inhalation	Non-applicable	Non-applicable	0.86 mg/m <sup>3</sup>	Non-applicable

PNEC:

Identification				
2,2',2''-(hexahydro-1,3,5- triazine-1,3,5-triyl)triethanol	STP	5.5 mg/L	Fresh water	0.007 mg/L
CAS: 4719-04-4	Soil	0.002 mg/kg	Marine water	0.001 mg/L
EC: 225-208-0	Intermittent	0.007 mg/L	Sediment (Fresh water)	0.03 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0.003 mg/kg
2,6-di-tert-butyl-p-cresol	STP	0.17 mg/L	Fresh water	0.000199 mg/L
CAS: 128-37-0	Soil	0.04769 mg/kg	Marine water	0.00002 mg/L
EC: 204-881-4	Intermittent	0.00199 mg/L	Sediment (Fresh water)	0.0996 mg/kg
	Oral	0.00833 g/kg	Sediment (Marine water)	0.00996 mg/kg

#### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding << UKCA marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

# B.- Respiratory protection

Pictogram	PPE	Remarks
Compulsory use of face mask	Filter mask for particles	Replace when an increase in resistence to breathing is observed.

# C.- Specific protection for the hands

Pictogram	PPE	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Linear low- density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

# D.- Eye and face protection

Pictogram	PPE	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.



Date of compilation: 13/03/2023 Version: 1

Pictogram		PPE	l de la constante de la constan	Remarks
Mandatory complete body protection	Antis	tatic and fireproof protective clothing	Limited protection against flames.	
Mandatory foot protection		ootwear with antistatic and heat resistant properties	Replace boots at any sign of deterioration.	
Additional emerge	ncy measu	res		
Emergency me	asure	Standards	Emergency measure	Standards
<b>^</b> +	ower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Evewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:201

the product and its container. For additional information see subsection 7.1.D

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical propertie	es:
	Appearance:	
	Physical state at 20 ºC:	Aerosol
	Appearance:	Opaque
	Colour:	White
	Odour:	Characteristic
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	-42 ºC (Propellant)
	Vapour pressure at 20 ºC:	Non-applicable *
	Vapour pressure at 50 °C:	<300000 Pa (300 kPa)
	Evaporation rate at 20 ºC:	Non-applicable *
	Product description:	
	Density at 20 ºC:	Non-applicable *
	Relative density at 20 ºC:	Non-applicable *
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	Non-applicable *
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 ºC:	Non-applicable *
	Solubility properties:	Emulsifiable
	Decomposition temperature:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	rmation property of its hazards.



Date of compilation: 13/03/2023 Version: 1

SECT	ON 9: PHYSICAL AND CHEMICAL PROPERTIES (continu	ued)
	Melting point/freezing point:	Non-applicable *
	Recipient pressure:	399967 - 499959 Pa (4 - 5 bar)
	Flammability:	
	Flash Point:	Non-applicable
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	Non-applicable *
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard classes:	
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 ºC:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing information ${\sf p}$	property of its hazards.

	Reactivity:								
	No hazardous reactions are ex	pected because the produc	t is stable under recommendec	d storage conditions. See se	ction 7.				
0.2	Chemical stability:								
	Chemically stable under the in	dicated conditions of storage	ge, handling and use.						
0.3	Possibility of hazardous react	ons:							
	Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.								
10.4	Conditions to avoid:	,	·····	· · · · · · · · · · · · · · · · · · ·					
10.4									
	Applicable for handling and sto	orage at room temperature							
	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity				
	Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable				
10.5	Incompatible materials:								
	Acids	Water	Oxidising materials	Combustible materials	Others				
		Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases				
	Avoid strong acids	Hazardous decomposition products:							
10.6	Ū	ducts:							

# SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available



Date of compilation: 13/03/2023 Version: 1

# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
  - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with carcinogenic effects. For more information see section 3.
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

#### Other information:

Non-applicable

#### Specific toxicology information on the substances:

	Identification	Acu	te toxicity	Genus
permethrin (ISO)		LD50 oral	410 mg/kg	Rat
CAS: 52645-53-1		LD50 dermal	Non-applicable	
		LC50 inhalation	Non-applicable	
tetramethrin (ISO)		LD50 oral	>1040 mg/kg	Mouse
CAS: 7696-12-0		LD50 dermal	Non-applicable	
		LC50 inhalation	Non-applicable	



international

Date of compilation: 13/03/2023 Version: 1

IN 11: TOXICOLOGICAL INFORMATION (continued)			
Identification		Acute toxicity	Genus
2,2´,2´´-(hexahydro-1,3,5- triazine-1,3,5-triyl)triethanol	LD50 oral	1000 mg/kg	Rat
CAS: 4719-04-4	LD50 dermal	Non-applicable	
	LC50 inhalation	0.37 mg/L (4 h)	Rat
sodium hydroxide	LD50 oral	>2000 mg/kg	
CAS: 1310-73-2	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
2,6-di-tert-butyl-p-cresol	LD50 oral	10000 mg/kg	Rat
CAS: 128-37-0	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

# 12.1 Toxicity:

# Acute toxicity:

Identification		Concentration	Species	Genus
Hydrocarbons, C10, aromatics, < 1% naphthalene	LC50	>1 - 10 mg/L (96 h)		Fish
CAS: 1189173-42-9	EC50	>1 - 10 mg/L (48 h)		Crustacean
	EC50	>1 - 10 mg/L (72 h)		Algae
permethrin (ISO)	LC50	0.0025 mg/L (96 h)	Salmo gairdneri	Fish
CAS: 52645-53-1	EC50	0.0001 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	Non-applicable		
tetramethrin (ISO)	LC50	0.0037 mg/L (96 h)	N/A	Fish
CAS: 7696-12-0	EC50	0.11 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	0.94 mg/L (72 h)	N/A	Algae
2,2´,2´´-(hexahydro-1,3,5- triazine-1,3,5-triyl)triethanol	LC50	16.7 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 4719-04-4	EC50	11.9 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	6.66 mg/L (72 h)	Desmodesmus subspicatus	Algae
sodium hydroxide	LC50	189 mg/L (48 h)	Leuciscus idus	Fish
CAS: 1310-73-2	EC50	33 mg/L	Crangon crangon	Crustacean
	EC50	Non-applicable		
2,6-di-tert-butyl-p-cresol	LC50	0.57 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 128-37-0	EC50	0.61 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	Non-applicable		

# Chronic toxicity:

Identification		ion Concentration		Genus	
2,6-di-tert-butyl-p-cresol	NOEC	0.053 mg/L	Oryzias latipes	Fish	
CAS: 128-37-0	NOEC	0.069 mg/L	Daphnia magna	Crustacean	

# 12.2 Persistence and degradability:

# Substance-specific information:

Identification	D	egradability	Biod	degradability
Hydrocarbons, C10, aromatics, < 1% naphthalene	BOD5	Non-applicable	Concentration	Non-applicable
CAS: 1189173-42-9	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	50 %
tetramethrin (ISO)	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 7696-12-0	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	4 %
2,2',2''-(hexahydro-1,3,5- triazine-1,3,5-triyl)triethanol	BOD5	Non-applicable	Concentration	50.7 mg/L
CAS: 4719-04-4	COD	Non-applicable	Period	8 days
	BOD5/COD	Non-applicable	% Biodegradable	100 %



Date of compilation: 13/03/2023 Version: 1

Identification	D	Degradability		Biodegradability
2,6-di-tert-butyl-p-cresol	BOD5	Non-applicable	Concentration	50 mg/L
CAS: 128-37-0	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	4.5 %
Bioaccumulative potential:				
Substance-specific information:				
Ide	entification		Bioaccumulation potential	
permethrin (ISO)			BCF	560
CAS: 52645-53-1			Pow Log	6.5
			Potential	High
			BCF	34
tetramethrin (ISO)			Pow Log	4.73
tetramethrin (ISO) CAS: 7696-12-0				
			Potential	Moderate
			Potential BCF	Moderate 1365
CAS: 7696-12-0				

Identification	Absor	Absorption/desorption		Volatility	
tetramethrin (ISO)	Кос	790	Henry	1.723E-1 Pa·m³/mol	
CAS: 7696-12-0	Conclusion	Low	Dry soil	No	
	Surface tension	Non-applicable	Moist soil	Yes	
2,2´,2´´-(hexahydro-1,3,5- triazine-1,3,5-triyl)triethanol	Кос	10	Henry	1E-6 Pa∙m³/mol	
CAS: 4719-04-4	Conclusion	Very High	Dry soil	No	
	Surface tension	Non-applicable	Moist soil	No	
2,6-di-tert-butyl-p-cresol	Кос	8183	Henry	3.42E-1 Pa∙m³/mol	
CAS: 128-37-0	Conclusion	Immobile	Dry soil	Yes	
	Surface tension	1.255E-2 N/m (258.85 ºC)	Moist soil	Yes	

# 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

# 12.6 Other adverse effects:

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

Code Description		Waste class
16 05 04* 20 01 19*	gases in pressure containers (including halons) containing hazardous substances Pesticides	Dangerous

# Type of waste:

HP14 Ecotoxic, HP3 Flammable

# Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

# Regulations related to waste management:

In accordance with Annex II of UK REACH the provisions related to waste management are stated:

UK legislation: The Waste Regulations 2011.



Date of compilation: 13/03/2023 Version: 1

With regard to A	DR 2021 a	and RID 2021:	
	14.1	UN number:	UN1950
<b>₽</b> < <u>¥</u> 2	> 14.2	UN proper shipping name:	AEROSOLS
$\checkmark$	14.3	Transport hazard class(es):	2
		Labels:	2.1
	14.4	Packing group:	N/A
	14.5	Environmental hazards:	Yes
	14.6	Special precautions for user	
		Tunnel restriction code:	D
		Physico-Chemical properties:	see section 9
		Limited quantities:	1L
	14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable
Transport of dar	ngerous go	oods by sea:	
With regard to I	VDG 40-2	0:	
	14.1	UN number:	UN1950
• •	14.2	UN proper shipping name:	AEROSOLS
	14.3	Transport hazard class(es):	2
	/	Labels:	2.1
▼ ∨	14.4	Packing group:	N/A
	14.5	Marine pollutant:	Yes
	14.6	Special precautions for user	
		Special regulations:	63, 959, 190, 277, 327, 344
		EmS Codes:	F-D, S-U
		Physico-Chemical properties:	see section 9
		Limited quantities:	1L
		Segregation group:	Non-applicable
	14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable
Transport of dar	ngerous go	oods by air:	
With regard to IA	ATA/ICAO	2023:	
	14.1	UN number:	UN1950
<b>(</b> )く髪	> 14.2	UN proper shipping name:	AEROSOLS
$\checkmark$	14.3	Transport hazard class(es):	2
		Labels:	2.1
	14.4	Packing group:	N/A
	14.5	Environmental hazards:	Yes
	14.6	Special precautions for user	
		Physico-Chemical properties:	see section 9
	14.7	Transport in bulk according to Annex II of Marpol and the IBC	Non-applicable

# SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Substances listed in UK candidate list of substances of very high concern (SVHCs): Non-applicable

- Substances listed in UK REACH Authorisation List (Annex 14): Non-applicable

Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc ....):



Date of compilation: 13/03/2023 Version: 1

# SECTION 15: REGULATORY INFORMATION (continued)

- Shall not be used in:
- -ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, -tricks and jokes.
- -games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### Other legislation:

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020. Control of Substances Hazardous to Health Regulations 2002 (as amended) EH40/2005 Workplace exposure limits.

The Aerosol Dispensers Regulations 2009

The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019: SCHEDULE 13 -Amendment of the Aerosol Dispensers Regulations 2009

The Product Safety and Metrology etc. (Amendment etc.) (UK(NI) Indication) (EU Exit) Regulations 2020

# SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

#### Texts of the legislative phrases mentioned in section 2:

H410: Very toxic to aquatic life with long lasting effects.

H400: Very toxic to aquatic life.

H229: Pressurised container: May burst if heated.

H222: Extremely flammable aerosol.

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### **GB CLP Regulation:**

Acute Tox. 2: H330 - Fatal if inhaled. Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Carc. 2: H351 - Suspected of causing cancer. Eye Dam. 1: H318 - Causes serious eye damage. Flam. Gas 1A: H220 - Extremely flammable gas. Met. Corr. 1: H290 - May be corrosive to metals. Press. Gas: H280 - Contains gas under pressure, may explode if heated. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure (oral). STOT SE 2: H371 - May cause damage to organs.

STOT SE 3: H336 - May cause drowsiness or dizziness.

#### **Classification procedure:**

Aquatic Chronic 1: Calculation method Aquatic Acute 1: Calculation method Aerosol 1: Calculation method Aerosol 1: Calculation method

#### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

# Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:



Date of compilation: 13/03/2023 Version: 1

# SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LC9OW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.